



Ferno - Capri

INVIGORATE YOUR WALLS

Montage European Oak products can be used to tastefully design any home or commercial space.

the second

EUROPEAN OA

MODERN DESIGN

Old World craftsmanship and New World technology combined to create an inspiring original masterpiece. Montage's vintage hardwood flooring captures the essence and beauty of Europe's Renaissance Era bit its antiquing age reclaimed style. These natural distressed textures give everlasting beauty and unique character while enhancing the natural grain patterns of European Oak for a timeless floor.



THERMAL COLOR TREATED

Thermal Color Treated Hardwood is an all natural heat process that enhances the stability and natural patina of the hardwood! This treatment is eco-friendly and makes the wood 70% less susceptible to moisture and humidity changes. Thermal Color Treated Hardwood is more stable than traditional hardwood products.

THERMAL COLOR SURFACE LAYER

Traditional Surface Layer

Color penetrates through Surface

Color only applied to surface

Rich dual tone color
Easier to repair and touch up
Enhanced stability and durability



MADE TO LAST A LIFETIME

An Organic Eco-Friendly UV Oil Finish penetrates through the wood pores to enhance the rich elegant patina and creates a long-lasting durable easy to maintain floor. All colors are backed by our highest industry-leading warranties.



Easy to Clean & Maintain Spray & Mop with WOCA Cleaning Products



Kid & Pet Safe Meets Highest Indoor Air-Quality Standards



Organic Eco-Friendly Finish Hypoallergenic Plant Based Low VOC Natural Oil



Floors For Life No Sanding or Refinishing Needed



Substantial Color Variation Colors Can Vary Extensively From Plank To Plank

CERTIFICATIONS
















V4

SUBSTANTIAL COLOR VARIATION

Colors can vary extensively from plank to plank. Interior designers love this kind of flooring due to the high contrast effect it delivers. V4 rated products are best installed in living rooms for impressing guests.

SUBSTANTIAL COLOR VARIATION



DEEP RICH COLOR TONES

Selected styles in the Montage line are produced by a unique thermal process to achieve the deep rich color visuals. Wood is a natural product and each plank will react differently to this process resulting in color variations. This kind of variation helps display the true wood characters and is one of the most desired attributes in hardwood flooring. This unique process highlights light to dark color tones that complement each other in your home.

Each style in the Montage line is labeled with one of the ratings on the left to help you select the perfect flooring that fits your design style.









<u>BAROQUE</u>

Naturally distressed planks are rich in character by highlighting accented knots and hand-hewn textures. These stylish designs enhance the beauty of wood grain to create a truly original and inspiring floor. Baroque age crafted floors bring warmth and vintage style fit beautifully for any room in your home.

> DIMENSIONS 9/16" x 7-1/2" x 72" RL

> > WEAR LAYER 3mm

TEXTURE Timeworn Brushed

> FINISH UV Oil

EDGES Slight Bevel

INSTALLATION Glue, Float or Staple*

APPLICATIONS Flooring & Wall Panels

*For staple installations, please refer to the installation addendum for details on glue assist spread recommendations.

AD/ EUROPEAN OAK







FORLI EUROPEAN WHITE OAK













MARCHE EUROPEAN WHITE OAK










PALMA EUROPEAN WHITE OAK







RUSSO EUROPEAN WHITE OAK





FERNO

Ferno's age reclaimed hardwood flooring maintains the true representation of European Oak by highlighting natural distressing, character, and thermal treatments. Ferno exemplifies true timeworn design and modern innovations to create a floor that lasts for a lifetime.

> DIMENSIONS 9/16" x 7-1/2" x 72" RL

> > WEAR LAYER 3mm

> > > TEXTURE Brushed

> > > > FINISH UV Oil

EDGES Slight Bevel

INSTALLATION Glue, Float or Staple*

APPLICATIONS Flooring & Wall Panels

*For staple installations, please refer to the installation addendum for details on glue assist spread recommendations.







CAMOGLI EUROPEAN WHITE OAK













MONTEROSSO EUROPEAN WHITE OAK











LEVANTE EUROPEAN WHITE OAK







LIVORNO EUROPEAN WHITE OAK









SUBSTANTIAL COLOR VARIATION

CASTILLIAN EUROPEAN WHITE OAK





RHONE EUROPEAN WHITE OAK





PORTOFINO

European Oak. These natural distressed hand-hewn textures preserves the integrity of Old World reclaimed plank floors.

DIMENSIONS

WEAR LAYER

TEXTURE Distressed Age Crafted

FINISH

EDGES Slight Bevel

INSTALLATION Glue, Float or Staple*

APPLICATIONS Flooring & Wall Panels







SUBSTANTIAL COLOR VARIATION

LARGO EUROPEAN WHITE OAK







MESSINA EUROPEAN WHITE OAK















TAVERNA EUROPEAN WHITE OAK





٧4

TUSCAN EUROPEAN WHITE OAK











Montage European Oak Floors are finished with a penetrating UV oil finish that is designed to protect your new beautiful hardwood floors without a top surface film. This allows the wood to give and take moisture in harmony with the environment around it. It also provides a dirt and wear resistant surface on the floor allowing it to last a lifetime without the need to ever re-sand.

AFTER INSTALLATION

Must clean floor after installation prior to covering to prevent dirt and construction residue from the jobsite, use paper or cardboard. DO NOT tape paper or cardboard directly to the floor. DO NOT use any tape including Blue Tape or Mineral Spirits when installing oiled floors.


INITIAL CLEANING (ONLY USE WOCA CLEANING PRODUCT)



Vacuum Clean dust and dirt off the floor with a soft brush vacuum cleaner.



Mop with **WOCA Oil Refresher Soap** Mix 1 cup of WOCA Refresher Concentrate with 5 guarts of water in a bucket. Mop the entire floor with this mixture using a cloth mop.*



Let it Dry Let the floor dry for 4 to 6 hours before allowing foot traffic and placing rugs.

*Mop the floor gently using a wrung cloth mop. The mop should be damp, not wet. EXCESS MOISTURE CAN DAMAGE THE FLOOR.

Use WOCA Oil Refresher Soap White on white floors and WOCA Oil Refresher Soap Natural on all other floors. This is the only product you sholuld use on these floors. Please refer to After-Care Matrix. (PLEASE CONTACT THE MANUFACTURER FOR FURTHER INSTRUCTIONS)

PLEASE WATCH THE VIDEO TO LEARN HOW TO APPLY WOCA OIL REFRESHER SOAP.

Please refer to demo video QR Code for guidelines or visit woodcareusa.com/video



MATRIX

ROUTINE CLEANING

Perform Bi-Monthly or Monthly cleaning by vacuuming/sweeping and then spraying WOCA Oil Refresher Soap Spray onto the floor. Spread evenly with a clean cloth mop to clean the dirt. Let the floor dry for 1 to 2 hours before allowing foot traffic and placing rugs.

NOTE: Overuse of WOCA OIL Refreshing Soap may become sticky overtime on the surface of the floor. This can also lead to abnormal collection of dirt and/or gloss variations.

NOURISH YOUR FLOORS

Oil finished floors should never need to be re-sanded. Traffic patterns or wear areas can be easily reduced by applying the WOCA Intensive Wood Cleaner followd by the WOCA Maintenance Oil Diamond Active. Typically in a residential application this is anywhere from 3-5 years after initial use of the floor. WOCA Maintenance Oil Diamond Active provides the floor with additional wearing properties. Use WOCA Maintenance Oil Diamond Active White on white oiled floors and Maintenance Oil Diamond Active Natural on all other floors. Follow directions on the label or refer to www.wocausa.com for production application instructions.

COMMERCIAL APPLICATIONS

Perform daily cleaning by vacuuming and then damp mopping with WOCA Master Soap if needed. Mix 1 cup of WOCA Master Soap Concentrate with 10 guarts of water in a bucket. Damp mop the entire floor with this mixture using a cloth mop. In addition to the Master Soap for regular cleaning, commercial spaces benefit from a monthly cleaning with WOCA Oil Refreshing Soap. Mix 1 cup of WOCA Refresher Concentrate with 5 quarts of water in a bucket.

Please contact a WOCA specialist via phone 800.242.8160 or via email sales@wocausa.com for commercial applications to provide proper cleaning regime based on the foot traffic.

QUICK TIPS & TRICKS

DO

- USE WOCA OIL REFRESHER SOAP FOR CLEANING FLOOR
- PLACE FELT PROTECTOR ON MOVING FURNITURE
- PLACE DOOR MAT IN FRONT OF MAIN ENTRANCE
- PROTECT FLOORING BY COVERING WALL TO WALL DURING **CONSTRUCTION WITH 3" OVERLAP TO**
- AVOID PAINT, SPILLS, SHEET ROCK DUST, ETC.
- DRYING

DON'T

- DON'T USE MINERAL SPIRITS
- DON'T LEAVE SPILLS, WIPE UP IMMEDIATELY

MAKE SURE ANY ADHESIVE IS IMMEDIATELY WIPED OFF PRIOR TO

DON'T USE ANY TAPE ON THE FLOOR INCLUDING BLUE TAPE





The color variation ratings on this brochure serve only as guides. Wood is a natural material containing distinctive differences in color, texture and grain. The differences caused by nature create the warmth, beauty and uniqueness of each hardwood floor. Room scenes and actual hardwood floor samples are intended as visual guides and not as the exact representation of the hardwood floors. Before you install any flooring product, we recommend that you rack out a box or two to verify that the product you have ordered is within the acceptable color range and fits your design style. Color and grade of all natural products must be inspected and approved at time of installation. Any flooring installed will be considered acceptable and no claims will be allowed based on visible appearance after installation.